

## ERRATUM

# Prediction of early, intermediate and late pre-eclampsia from maternal factors, biophysical and biochemical markers at 11–13 weeks

Ranjit Akolekar<sup>1</sup>, Argyro Syngelaki<sup>1,2</sup>, Rita Sarquis<sup>1,2</sup>, Mona Zvanca<sup>1,2</sup> and Kypros H. Nicolaidis<sup>1,2\*</sup>

<sup>1</sup>Harris Birthright Research Centre of Fetal Medicine, King's College Hospital, London, UK

<sup>2</sup>Department of Fetal Medicine, University College Hospital, London, UK

*Prenat Diagn* 2011; 31: 66–74. DOI: 10.1002/pd.2660

In (Akolekar *et al.*, 2011), the equation that appeared on page sixty nine (5<sup>th</sup> paragraph) contained errors. The equation which originally read as:

$\text{Log}_{10} \text{MAP expected} = 1.797 (\text{SE } 0.007) + 0.001 (\text{SE } 6.06\text{e}^{-05}) \times \text{maternal age in years} + 0.003 (\text{SE } 1.57\text{e}^{-04}) \times \text{maternal weight in kg} - 1.0\text{e}^{-04} (\text{SE } 1.01\text{e}^{-06}) \times (\text{maternal weight in kg})^2 + [0.006 (\text{SE } 6.8\text{e}^{-04}) \text{ if nulliparous and } 0 \text{ if parous}] - [0.008 (\text{SE } 0.001) \text{ if cigarette smoker and } 0 \text{ if non-smoker}] + [0.066 (\text{SE } 0.003) \text{ if chronic hypertension and } 0 \text{ if not}] - 1.68\text{e}^{-04} (\text{SE } 4.25\text{e}^{-05}) \times \text{fetal CRL in mm} + [0.011 (\text{SE } 0.005) \text{ if diabetes mellitus type 1 and } 0 \text{ if not}] - [0.002 (\text{SE } 0.001) \text{ if African, } -0.004 (\text{SE } 0.002) \text{ if mixed and } 0 \text{ if any other racial origin}]; R^2 = 0.161, p < 0.0001.$

Should have read as:

$\text{Log}_{10} \text{MAP expected} = 1.839 (\text{SE } 0.009) + 0.001 (\text{SE } 6.05\text{e}^{-05}) \times \text{maternal age in years} + 0.003 (\text{SE } 1.61\text{e}^{-04}) \times \text{maternal weight in kg} - [1.1\text{e}^{-05} (\text{SE } 1.02\text{e}^{-006}) \times (\text{maternal weight in kg})^2] - 3.2\text{e}^{-04} (\text{SE } 5.1\text{e}^{-05}) \times \text{maternal height in cm} + [0.006 (\text{SE } 6.8\text{e}^{-04}) \text{ if nulliparous and } 0 \text{ if parous}] - [0.008 (\text{SE } 0.001) \text{ if cigarette smoker and } 0 \text{ if non-smoker}] + [0.065 (\text{SE } 0.003) \text{ if chronic hypertension and } 0 \text{ if not}] - 1.72\text{e}^{-04} (\text{SE } 4.25\text{e}^{-05}) \times \text{fetal CRL in mm} + [0.011 (\text{SE } 0.005) \text{ if diabetes mellitus type 1 and } 0 \text{ if not}] - [0.003 (\text{SE } 0.001) \text{ if African, } -0.004 (\text{SE } 0.002) \text{ if mixed and } 0 \text{ if any other racial origin}]; R^2 = 0.164, p < 0.0001.$

We apologize for this error.

## REFERENCE

Ranjit Akolekar, Argyro Syngelaki, Rita Sarquis, Mona Zvanca, Kypros H. Nicolaidis. 2011. Prediction of early, intermediate and late pre-eclampsia from maternal factors, biophysical and biochemical markers at 11–13 weeks. *Prenat Diagn* **31**: 66–74.